

L Number	Hits	Search Text	DB	Time stamp
51	0	server same plug adj2 in\$3 same classif\$6 same application adj level	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 13:42
52	0	server same plug adj2 in\$3 and classif\$6 same application adj level	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 13:42
53	60	server same plug adj2 in\$3 and classif\$6 and application adj level	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 13:44
54	44	@ad<20001020 and server same plug adj2 in\$3 and classif\$6 and application adj level	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 13:50
56	1	@ad<20001020 and server same plug adj2 in\$3 same application adj level	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 13:50
55	62	@ad<20001020 and server same plug adj2 in\$3 and application adj level	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 15:05
57	2	6038603.pn.	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 15:06
58	2	"6697849"	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/11 15:06
-	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) same protocol adj type adj request	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:45
-	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) same (protocol adj type adj request)	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:46
-	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (protocol adj type adj request)	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:54
-	50	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:22
-	0	((mixe\$4 or multiple or differrent) adj platform\$4) same (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and protocol\$2	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:49
-	32	((mixe\$4 or multiple or differrent) adj (platform\$4 or protocol)) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6))	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:50
-	2	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request) same client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:56
-	245	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (transaction or request near4 type)	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:55
-	136	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type)	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:55
-	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:55
-	1	(QoS or quality adj of adj service) same (type adj request) same client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/09 16:56

-	98	(QoS or quality adj of adj service) and ((transaction or request) near4 type) same client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:23
-	1	(QoS or quality adj of adj service) and ((transaction or request) near4 type) same client same server.ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:50
-	9	client same server same (QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:23
-	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:03
-	2	client same server same (type near3 request) same ((service or application) adj (classif\$9 or categor\$6))	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:03
-	6	client same server same (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and policy adj rule\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:04
-	32	((mixe\$4 or multiple or differrent) adj platform\$4) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and protocol\$2	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:32
-	0	((mixe\$4 or multiple or differrent) adj platform\$4) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and (compati\$6 adj application)	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:33
-	28	((mixe\$4 or multiple or differrent) adj platform\$4) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and (compati\$6 near4 application)	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:33
-	32	((mixe\$4 or multiple or differrent) adj (platform\$4 or protocol)) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and protocol\$2	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:34
-	16	(QoS or quality adj of adj service) same ((transaction or request) near4 type) same client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:34
-	13	(QoS or quality adj of adj service) and (type adj request) same client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:44
-	44	((classif\$4 or categor\$6) adj (type adj4 (request\$4 or transaction\$2)))	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:51
-	0	((classif\$4 or categor\$6) adj (type adj4 (request\$4 or transaction\$2))) same client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:51
-	17	((classif\$4 or categor\$6) adj (type adj4 (request\$4 or transaction\$2))) and client same server	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:55
-	1	6212546.pn.	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:56
-	1	6253248.pn.	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:56
-	1	5812768.pn.	USPAT; US-PGPUB; IBM_TDB	2004/01/09 17:56
-	0	("BASKEY-MIKE-EDWARD.inv.").PN.	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:10
-	0	BASKEY-MIKE-EDWARD.inv.	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:11
-	0	HYNH-LAP-THIET.inv.	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:12
-	5	BRABSON-ROY-FRANK.inv.	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:13

-	9	HUYNH-LAP-THIET.inv.	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:17
-	7	YOCOM-PETER-BERGERSEN.inv.	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:24
-	0	370/235.ccls. and plug adj in same server and (type adj4 (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:27
-	0	370/235.ccls. and plug adj in same server	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:27
-	280	370/235.ccls. and server	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:27
-	0	370/235.ccls. and server same plug adj in	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:27
-	14	709/228.ccls. and plug adj in same server	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:28
-	12	709/228.ccls. and plug adj in same server and type same (message or content or request)	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:39
-	12	709/228.ccls. and plug adj in same server and (type same (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:39
-	8	709/228.ccls. and plug adj in same server and (type near4 (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:39
-	7	709/228.ccls. and plug adj in same server and (type adj4 (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:39
-	2	709/250.ccls. and plug adj in same server and (type adj4 (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:39
-	2	709/232.ccls. and plug adj in same server and (type adj4 (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:43
-	1	370/235.ccls. and server and plug adj in	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:46
-	16	370/235.ccls. and server same (type adj4 (message or content or request))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 09:47
-	3	TCP/IP adj kernel same server	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:36
-	3	server same application\$3 same TCP/IP adj kernel	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:36
-	204	server same application\$3 and ((different or mixe\$2) adj platform\$2) and (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:38
-	4	server same application\$3 and ((different or mixe\$2) adj platform\$2) and (type adj (message or content)).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:38
-	3	server same application\$3 and ((different or mixe\$2) adj platform\$2) same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:41
-	0	server same application\$3 same ((different or mixe\$2) adj platform\$2) and (type adj (message or content)).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:41
-	1	server same application\$3 same ((different or mixe\$2) adj platform\$2) and (type adj (message or content)).clm.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:41

-	37	server same application\$3 same ((different or mixe\$2) adj platform\$2) and (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:48
-	5853	server same application\$3 same (plug adj in\$2 or handle\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:52
-	150	server same application\$3 same (plug adj in\$2 or handle\$4).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:50
-	1	server same application\$3 same (plug adj in\$2 or handle\$4).ab. and (classif\$9 adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:51
-	1176	server same application\$3 same (plug adj in\$2 or handle\$4) and (type adj2 (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:53
-	1623	server same application\$3 same (plug adj in\$2 or handle\$4) and (type near3 (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:53
-	141	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:53
-	13	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content)).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:56
-	0	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content)) same ((different or mixe\$4) adj platform\$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 08:56
-	9	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content)) and ((different or mixe\$4) adj platform\$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 09:00
-	26	server same application\$3 same (plug adj in\$2 or handle\$4) same ((different or mixe\$4) adj platform\$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 09:02
-	0	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) same ((different or mixe\$4) adj platform\$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 09:02
-	0	server same application\$3 same (plug adj in\$2 or handle\$4) and (call\$4 adj function) same ((different or mixe\$4) adj platform\$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 09:02
-	9	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) and ((different or mixe\$4) adj platform\$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:47
-	0	load adj management same server same plug adj in\$2	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:01
-	0	load adj management same server same plug adj in\$2 same traffic adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:02
-	0	load adj management and server same plug adj in\$2 same traffic adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:02
-	0	load adj management and server adj plug adj in\$2 same traffic adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:02
-	0	(load adj management) and (server same plug adj in\$2) and traffic adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:03
-	0	(load adj management) and (server same plug adj in\$2) and traffic near3 load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:03
-	14	(server same plug adj in\$2) and traffic near3 load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:11
-	0	(server same plug adj in\$2) and traffic near3 load\$4 same ((mixe\$4 or different) adj platform\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:12

-	1	(server same plug adj in\$2) and traffic near3 load\$4 and ((mixe\$4 or different) adj platform\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:13
-	68	(server same plug adj in\$2) and ((mixe\$4 or different) adj platform\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:14
-	2	(server same plug adj in\$2) and ((mixe\$4 or different) adj platform\$4).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:15
-	2	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:16
-	2	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4).ab.	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:16
-	1	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4) and traffic adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:17
-	1	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4) and traffic adj load	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:17
-	68	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:17
-	0	(servlet or servelet) same traffice adj load\$4 same process\$6 same server same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:53
-	0	(servlet or servelet) and traffice adj load\$4 same process\$6 same server same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:53
-	0	(servlet or servelet) same process\$6 same server same (type adj (message or content)) and traffic adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:54
-	0	(servlet or servelet) same process\$6 same server same (type adj (message or content)) and load\$4 adj management	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:54
-	3	(servlet or servelet) same process\$6 same server same ((mixe\$4 or different) adj platform\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:54
-	14	(servlet or servelet) same process\$6 same server same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:59
-	0	(servlet or servelet) same traffic same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 14:59
-	0	(servlet or servelet) same load\$4 adj balanc\$4 same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:00
-	0	(servlet or servelet) and traffic adj load\$4 same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:01
-	0	(servlet or servelet) and load\$4 near4 manag\$4 same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:01
-	2	(servlet or servelet) and load\$4 adj balanc\$4 same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:01
-	22	(servlet or servelet) and load same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:20
-	0	(servlet or servelet) and traffic same flow same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:20
-	4	(servlet or servelet) and traffic same (type adj (message or content))	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:57

-	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request) same (servlet or servelet)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:23
-	0	(QoS or quality adj of adj service) and ((transaction or request) near4 type) same (servelet or servlet)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:23
-	30	(QoS or quality adj of adj service) and ((transaction or request) near4 type) and (servelet or servlet)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:23
-	0	client same server same (QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type) and (servelet or servlet)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:24
-	15	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type) and (servelet or servlet)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:24
-	30	(QoS or quality adj of adj service) and ((transaction or request) near4 type) and (servelet or servlet)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:25
-	3	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) and ((different or mixe\$4) adj platform\$3) and (server adj load\$4 or workload\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:47
-	1	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) and ((different or mixe\$4) adj platform\$3) and server adj load\$4	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:56
-	0	(servlet or servelet) and traffic same (type adj (message or content)) same (server adj load or workload\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:57
-	0	(servlet or servelet) and traffic same (type adj (message or content)) and (server adj load or workload\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:58
-	43	(servlet or servelet) and (type adj (message or content)) and (server adj load or workload\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:58
-	3	(servlet or servelet) same (type adj (message or content)) and (server adj load or workload\$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/13 15:58